

Alliance Air Dryer Replacement Cartridge



Cleansing your brake system from moisture and contamination, the high quality Alliance Air Dryer Cartridge offers you the safety and confidence you need to keep your truck on the road.

GENERAL PRODUCT INFORMATION

The Alliance air dryer spin-on replacement cartridge is not a will-fitted or re-engineered product. It uses long-life desiccants and is manufactured with OE components following OE specifications. Alliance air dryer cartridges remove 96% of the moisture and contaminants from the air brake system ensuring the system's effectiveness. This product is new; it has not been remanufactured.

PART NUMBER CHART

| Alliance Part Number | Description | Application |
|----------------------|---------------------|-------------|
| ABP/N10G-R950011 | Air Dryer Cartridge | Spin On |

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.freightliner.com.

WARRANTY

Alliance air dryer cartridges are subject to consumption during their normal service life and are routinely replaced during normal maintenance services, and therefore are not covered under aftermarket parts warranty.

ADDITIONAL INFORMATION

To learn more about Alliance parts, please visit www.alliancebrandparts.com.

FEATURES & BENEFITS

- 100% greater water absorption
- Extended desiccant cartridge life
- Improved desiccant crust strength
- Significantly increased tolerance of oil contamination
- The spin-on cartridge allows for convenience, reduced downtime, and easy replacement.
- The compact size allows for effective installation in cramped places.
- It's lightweight, so more freight can be carried.
- It prevents contamination, moisture and corrosion in the system.

RELATED BUYS

- Air Brake Control Valves
- Air Compressors
- Electronic Leveling Valves
- D2-Governor
- Hydraulic ABS
- Mechanical Leveling Valves
- Replacement Cartridges
- ABS Components

FREQUENTLY ASKED QUESTIONS

Is the cartridge only important during winter operation?

Answer: No. Air in an unprotected system is always 100% saturated with water vapor. That means that even a one-degree drop in temperature will cause condensation to occur in the system's valves, lines and reservoirs.

What is the function of an air dryer cartridge?

Answer: It protects the vehicle's system by drying moisture-laden air before it passes through air reservoirs and into the brake system.

CROSS-REFERENCE INFORMATION

PART NUMBERS

| Alliance | Arvin Meritor | Bendix | Haldex |
|------------------|----------------------------|--|-------------|
| ABP/N10G-R950011 | TDA/R950011 TDA/R109994 | BW/BR950011 BW/5008414 BW/109994 | HDX/109994K |

Alliance Cast Brake Drums by ConMet

The Alliance brake drum product line includes some of the industry's fastest moving drums.



ALLIANCE CAST BRAKE DRUMS – SELECTION GUIDE

| Alliance Part Number | Brake Size | Overall Depth | Brake Surface Width | Pilot | Bolt Circle | Bolt Hole Number | Bolt Hole Size | Flange Thickness | Weight | GAWR |
|----------------------|--------------|---------------|---------------------|-------|-------------|------------------|----------------|------------------|--------|--------|
| ABP/N42A10009830 | 16.5 X 7 | 10.56 | 7.48 | 8.78 | 11.25 | 10 | 1.00 | 0.53 | 112 | 27,000 |
| ABP/N42A10009920 | 15 X 4 | 9.18 | 4.54 | 8.78 | 11.25 | 10 | 1.28 | 0.5 | 80 | 14,000 |
| ABP/N42A107193 | 16.5 X 6 | 9.74 | 6.40 | 8.78 | 11.25 | 10 | 1.28 | 0.63 | 109 | 23,000 |
| ABP/N42A107453 | 16.5 X 5 | 9.37 | 5.31 | 8.78 | 11.25 | 10 | 1.28 | 0.5 | 94 | 14,700 |
| ABP/N42A107507 | 15 X 4 | 8.79 | 4.66 | 8.78 | 11.25 | 10 | 1.28 | 0.5 | 71 | 14,000 |
| ABP/N42A107637 | 16.5 X 8 | 11.06 | 8.48 | 8.78 | 11.25 | 10 | 1.00 | 0.53 | 119 | 26,000 |
| ABP/N42A107638 | 16.5 X 8.625 | 11.37 | 9.00 | 8.78 | 11.25 | 10 | 1.00 | 0.62 | 124 | 26,000 |
| ABP/N42A107861 | 15 X 5 | 9.33 | 5.30 | 9.00 | 275mm | 8 | 1.03 | 0.5 | 82 | 14,000 |
| ABP/N42A107862 | 15 X 5 | 9.33 | 5.30 | 8.78 | 11.25 | 10 | 1.28 | 0.5 | 82 | 14,000 |
| ABP/N42A107863 | 15 X 5/6 | 10.28 | 7.02 | 8.78 | 11.25 | 10 | 1.00 | 0.5 | 95 | 12,000 |
| ABP/N42A107864 | 15 X 5/6 | 10.28 | 7.02 | 9.00 | 275mm | 8 | 1.00 | 0.5 | 92 | 12,000 |
| ABP/N42A107865 | 15 X 8.625 | 11.9 | 9.21 | 9.00 | 275mm | 8 | 1.00 | 0.5 | 109 | 17,000 |
| ABP/N42A107866 | 15 X 8.625 | 11.9 | 9.21 | 8.78 | 11.25 | 10 | 1.00 | 0.5 | 109 | 17,000 |
| ABP/N42A107875 | 16.5 X 7 | 10.56 | 7.48 | 9.00 | 275mm | 8 | 1.00 | 0.53 | 112 | 27,000 |
| ABP/N42A107885 | 16.5 X 7 | 10.3 | 7.28 | 8.78 | 11.25 | 10 | 1.00 | 0.53 | 110 | 27,000 |
| ABP/N42A107902 | 15 X 4 | 9.18 | 4.54 | 9.00 | 275mm | 8 | 1.00 | 0.5 | 80 | 14,000 |
| ABP/N42A107904 | 16.5 x 7 | 10.56 | 7.48 | 9.00 | 11.25 | 10 | 0.81 | 0.53 | 112 | 27,000 |

FEATURES & BENEFITS

- Alliance brake drums are cast iron, machined balanced and FMVSS approved.
- Tru-Turn technology on **ABP/N42A10009830** and **ABP/N42A10009920**.

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.freightliner.com.

TOP SELLERS


ABP/N42A10009830 **ABP/N42A107866**
ABP/N42A10009920 **ABP/N42A107193**
ABP/N42A107507 **ABP/N42A107638**
ABP/N42A107885

WARRANTY

Alliance Parts are backed by a one-year unlimited mile warranty, with coverage available throughout North America.

ALLIANCE BRAKE DRUM CROSS REFERENCE

| Webb Crossover | | Gunito Crossover | | Meritor Crossover | |
|------------------|----------------------|--------------------|----------------------|---------------------|----------------------|
| Webb Part Number | Alliance Part Number | Gunito Part Number | Alliance Part Number | Meritor Part Number | Alliance Part Number |
| 61528B | ABP/N42A10009830 | 2769X | ABP/N42A107904 | 85123399002 | ABP/N42A107193 |
| 61958B | ABP/N42A107864 | 3141BX | ABP/N42A107875 | 85122550002 | ABP/N42A107904 |
| 61992F | ABP/N42A107866 | 3141X | ABP/N42A107904 | 85123207002 | ABP/N42A10009830 |
| 61999F | ABP/N42A107865 | 3402X | ABP/N42A107885 | 85123409002 | ABP/N42A107875 |
| 62671F | ABP/N42A107193 | 3600AX | ABP/N42A10009830 | 85123465002 | ABP/N42A107863 |
| 65543B | ABP/N42A107902 | 3687X | ABP/N42A107193 | 85123570002 | ABP/N42A107637 |
| 65554B | ABP/N42A107862 | 3721AX | ABP/N42A107507 | 85123254002 | ABP/N42A107507 |
| 66800B | ABP/N42A107637 | 3726X | ABP/N42A107164 | 85123365002 | ABP/N42A107885 |
| 66854F | ABP/N42A107638 | 3741X | ABP/N42A107902 | | |
| 66864F | ABP/N42A107150 | 3744AX | ABP/N42A107865 | | |
| 66873F | ABP/N42A107885 | 3744X | ABP/N42A107866 | | |
| 66875F | ABP/N42A107875 | 3753AX | ABP/N42A107864 | | |
| 66895B | ABP/N42A107904 | 3753X | ABP/N42A107863 | | |
| 61998B | ABP/N42A107865 | 3758X | ABP/N42A107453 | | |
| 65545B | ABP/N42A10009920 | 3774AX | ABP/N42A107861 | | |
| | | 3774X | ABP/N42A107862 | | |
| | | 3807X | ABP/N42A107638 | | |
| | | 3782X | ABP/N42A107637 | | |
| | | 3800X | ABP/N42A10009920 | | |





Alliance Remanufactured Brake Shoes & Brake Kits



Top quality brake shoes with linings available in either the Premium 20 for 20,000# axle applications or the Premium 23 for 23,000# axle applications.

GENERAL PRODUCT INFORMATION

ALLIANCE BRAKE SHOES

Alliance brake shoes are manufactured to the strictest quality standards—which means you don't have to trade quality for value.

ALLIANCE BRAKE LININGS

Premium 20

Premium 20 has been engineered to Freightliner LLC specifications to deliver superior stopping power compared to similarly classed linings used in 20,000# axle applications.

Premium 20 easily passes the F.M.V.S.S. #121 dynamometer testing standard with a type 30 air chamber and a 5.5" slack adjuster, in combination with a 20.8" tire rolling radius. Premium 20 has undergone extensive laboratory and field testing. Results from these tests show that Premium 20 demonstrates ample stopping power, complemented by solid fade and recovery characteristics.

Premium 23

Premium 23 has been engineered for the price-sensitive premium grade brake lining buyer looking for block to handle demanding brake applications. This material is ideally suited for heavier-than-normal hauling operations such as liquid tanker, grain, cement, or refuse collection. Premium 23 is also a good choice for low powered brake systems that require a more aggressive lining.

Premium 23 easily passes the F.M.V.S.S. #121 dynamometer testing standard with a type 30 air chamber and a 5.5" slack adjuster, in combination with a 20.8" tire rolling radius. Premium 23 has undergone extensive laboratory and field testing to confirm its ample stopping power in combination with positive fade and recovery characteristics.

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.freightliner.com.

PART NUMBERS

| Alliance Part Number | Description |
|----------------------|---|
| BRAKE SHOES | |
| ABP/RB1308E-20PREM | 1308 Eaton Exchange Shoe with Premium 20 lining |
| ABP/RB1308Q-20PREM | 1308DQ Exchange Shoe with Premium 20 lining |
| ABP/RB1443E-20PREM | 1443E Exchange Shoe with Premium 20 lining |
| ABP/RB4311E-20PREM | 4311 Eaton Exchange Shoe with Premium 20 lining |
| ABP/RB4505LG-23PREM | 4505A Lucas Girling with Premium 23 lining |
| ABP/RB4515Q-20PREM | 4515 Q Exchange Shoe with Premium 20 lining |
| ABP/RB4515Q-23PREM | 4515 Q Exchange Shoe with Premium 23 lining |
| ABP/RB4702Q-20PREM | 4702 Q Exchange Shoe with Premium 20 lining |
| ABP/RB4707Q-20PREM | 4707 Q Exchange Shoe with Premium 20 lining |
| ABP/RB4707Q-23PREM | 4707 Q Plus Exchange Shoe with Premium 23 lining |
| ABP/RB4709E2-20PREM | 4709 Eaton Exchange Shoe with Premium 20 lining |
| ABP/RB4709E2-23PREM | 4709E2 Eaton Exchange Shoe with Premium 23 lining |
| BRAKE KITS | |
| ABP/RK1308E-20PREM | 1308E Eaton Exchange Kit with Premium 20 lining |
| ABP/RK1308Q-20PREM | 1308 Q Exchange Kit with Premium 20 lining |
| ABP/RK1443E-20PREM | 1443E Eaton Exchange Kit with Premium 20 lining |
| ABP/RK4311E-20PREM | 4311 Eaton Exchange Kit with Premium 20 lining |
| ABP/RK4515Q-20PREM | 4515 Q Exchange Kit with Premium 20 lining |
| ABP/RK4515Q-23PREM | 4515 Q Exchange Kit with Premium 23 lining |
| ABP/RK4515X-20PREM | 4515 XEM3 Exchange Kit with Premium 20 lining |
| ABP/RK4702Q-20PREM | 4702 Q Exchange Kit with Premium 20 lining |
| ABP/RK4707Q-20PREM | 4707 Q Exchange Kit with Premium 20 lining |
| ABP/RK4707Q-23PREM | 4707 Q Exchange Kit with Premium 23 lining |
| ABP/RK4709E2-20PREM | 4709 Eaton Exchange Kit with Premium 20 lining |

FEATURES & BENEFITS

Brake Linings/Premium 20 Features

- Cost effective option for price sensitive buyers
- Asbestos-free, organic friction material
- Designed for 20,000# axle applications
- Dependable stopping power
- Ideal for general freight hauling
- Available in a wide range of FMSI numbers

Brake Linings/Premium 23 Features

- Cost effective option for price sensitive buyers
- Combination block using organic friction materials
- Designed for 23,000# axle applications
- Dependable stopping power
- Ideal for severe duty hauling

WARRANTY

Alliance parts are backed by a one-year unlimited mile warranty, with coverage available throughout North America.

ADDITIONAL INFORMATION

To learn more about Alliance parts, please visit www.alliancebrandparts.com.

BRAKE APPLICATION GUIDE

| Axle Load | 195 A/L | 180 A/L | 165 A/LT | 144 A/L |
|-----------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| | Type 30 Chamber x 6.5 " Slack | Type 30 Chamber x 6.0 " Slack | Type 30 Chamber x 5.5 " Slack | Type 24 Chamber x 6.0 " Slack |
| 14,000 | — | — | — | 20 PREM |
| 15,000 | — | — | 20 PREM | 20 PREM |
| 16,000 | — | — | 20 PREM | 20 PREM |
| 17,000 | — | 20 PREM | 20 PREM | 20 PREM |
| 18,000 | — | 20 PREM | 20 PREM | 20 PREM |
| 19,000 | 20 PREM | 20 PREM | 20 PREM | 23 PREM |
| 20,000 | 20 PREM | 20 PREM | 20 PREM | 23 PREM |
| 21,000 | 20 PREM | 20 PREM | 23 PREM | 23 PREM |
| 22,000 | 20 PREM | 23 PREM | 23 PREM | — |
| 23,000 | 23 PREM | 23 PREM | 23 PREM | — |
| 24,000 | 23 PREM | 23 PREM | — | — |
| 25,000 | 23 PREM | — | — | — |

FRICITION APPLICATION GUIDE

| | 20,000# Axle Load | 23,000# Axle Load or Severe Duty |
|-----------------------------|----------------------|-------------------------------------|
| Tandem Axle Tractor Trailer | 20 PREM | — |
| Double | 20 PREM | — |
| Flatbed | 20 PREM | — |
| Beverage | 20 PREM | — |
| School Bus | 20 PREM | — |
| Refuse Truck | — | 23 PREM |
| Mixer (Tandem Axle) | — | 23 PREM |
| Tandem Dump | — | 23 PREM |
| Tanker | — | 23 PREM |

FREQUENTLY ASKED QUESTIONS

Why Buy Alliance Shoes?

- Premium quality at an affordable price
- Available in a wide range of FMSI numbers
- Quality procedures ensure QS90000/ISO9001 practices are followed
- Offered in either separate shoes or kits with hardware
- Shoes are coined to ensure consistent top quality

WHEN YOU NEED MORE INFORMATION...

The following literature is available to you at your local dealer.

| Catalog Number | Description |
|----------------|--|
| CS/PSM-B-426 | Alliance Brake Shoe Brochure (8/06MCD) |



Alliance Remanufactured Air Compressors



Efficient, higher capacity and reliable compressors from Alliance to meet stricter braking requirements and other supported air operated accessories.

GENERAL PRODUCT INFORMATION

The air compressor is the source of energy for the air brake system. It is driven by the vehicle's engine, either by belt or the drive gear.

PART NUMBER CHART

| Alliance Part Number | Description | Application |
|----------------------|----------------|-------------------------------|
| ABP/RC10-5004082 | Air Compressor | 13CFM TF550 Adaptorless |
| ABP/RC10-5004083 | Air Compressor | 16CFM TF750 Adaptorless |
| ABP/RC10-5010823 | Air Compressor | 16CFM BA921 (EGR Application) |
| ABP/RC10-65672 | Air Compressor | 13CFM TF550 Adaptor |
| ABP/RC10-65671 | Air Compressor | 16.5CFM TF750 Adaptor |

COMPETITIVE CROSS-REFERENCE CHART

PART NUMBERS

| Alliance | Detroit Diesel | Bendix | Bendix Reman | Haldex |
|------------------|----------------|------------|--------------|--------------|
| ABP/RC10-5004082 | DDE/R23522122 | BW/5004082 | BW/R5004188 | HDX/109429X |
| ABP/RC10-5004083 | DDE/R23522123 | BW/5004083 | BW/R5004187 | HDX/109430X |
| ABP/RC10-5010823 | DDE/R23532823 | BW/5010823 | N/A | HDX/5010824X |
| ABP/RC10-65672 | DDE/R23505234 | BW/65672 | BW/R107622 | HDX/107622X |
| ABP/RC10-65671 | DDE/R23505235 | BW/65671 | BW/R107623 | N/A |

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.freightliner.com.

WARRANTY

Alliance Parts are backed by a one-year unlimited mile warranty, with coverage available throughout North America.

FOCUS ON QUALITY

- Remanufactured by Master, Fully-Trained, Technicians,
- Using State-of-the-Art Cellular Manufacturing Process,
- In ISO 9001 Certified Facilities,
- With Dedicated Assembly and Quality Assurance Stations,
- Under a Controlled Manufacturing Process.

ADDITIONAL INFORMATION

To learn more about Alliance parts, please visit www.alliancebrandparts.com.

FEATURES & BENEFITS

- 100% replacement of pistons
- 100% replacement of gaskets and bearings
- 100% size inspection of all critical components
- 100% pressure test of cooling system
- 100% computer controlled testing of finished product with test data retention
- Superior surface finish from hone and brush procedure
- No-hassle core criteria



Alliance Remanufactured Air Dryer Cartridge



The Alliance AD9 remanufactured replacement air dryer provides the same high quality brake system protection users have depended on since the system was new, and can be used as a replacement element for standard and extended purge AD9 air dryers.

GENERAL PRODUCT INFORMATION

Air dryers are in line filters between the air compressor and storage reservoirs that remove both liquid and vapor from compressor discharge air before it reaches the reservoir, resulting in only clean dry air being supplied to the air system. The recommended replacement cycle is every two years during normal service.

HIGH MOVERS The AD9 model element is the top selling Bendix air dryer cartridge.

| Alliance Part Number | Description | Application |
|----------------------|---|--|
| ABP/R42B-107794X | Alliance AD9 remanufactured replacement air dryer desiccant cartridge | Replacement element for standard and extended purge AD9 air dryers |

COMPETITIVE CROSSOVER

The ABP/R42B-107794X is a service replacement for the following part numbers:

| | |
|--------------------|---|
| BW/R107794 | Remanufactured Bendix AD9 Air Dryer Cartridge |
| BW/107796 | New Bendix AD9 Air Dryer Cartridge |
| HXD/107794X | Remanufactured Haldex AD9 Air Dryer Cartridge |

RELATED SERVICE ITEMS

D2-Governor

- TDA/RKN18530 – D2-Governor 1 each
- TDA/RKN18536 – D2-Governor 6 Pack

Correct operation of the D2-Governor is essential for controlling proper air dryer purge, necessary for regeneration. Proper regeneration significantly extends dryer cartridge life and assures optimum performance.

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.freightliner.com.

WARRANTY

Alliance Parts are backed by a one-year unlimited mile warranty, with coverage available throughout North America.

FREQUENTLY ASKED QUESTIONS

Question Is the same cartridge kit used for standard and extended purge dryers?
Response Yes.

Question Is the dryer cartridge only important during winter operation?
Response No, air in an unprotected brake system **is always** 100% saturated with water vapor. This means that even a one-degree drop in air temperature will cause condensation to form in the system's valves, lines, and reservoirs. Winter operations provide opportunity for this moisture to freeze; however, the moisture itself is always damaging to the air system.

Question **Is it difficult to replace the service cartridge element?**
Response No. The service cartridge element is self contained for easy replacement at any Freightliner Group repair facility.

FEATURES & BENEFITS

- Environmentally friendly, the recycling of the desiccant cartridge prevents material that is oil soaked from being disposed of in the environment.
- This product is equivalent in performance and quality when compared to the genuine AD9 remanufactured air dryer cartridge.
- The Alliance air dryer cartridge is brought to you at an attractive price that brings you maintenance cost savings reducing your overall cost per mile of operation.

CORE INFORMATION

Alliance AD9 remanufactured air dryers are sold remanufactured exchange.


For full core credit, your core will be visually inspected to determine that the canister is not bent or dented, and to assure threads are not crossed-threaded or stripped.

ADDITIONAL INFORMATION

To learn more about Alliance parts, please visit www.alliancebrandparts.com.

Alliance Spring Brakes

You're assured of the highest quality spring brake when you purchase Alliance spring brakes.



GENERAL PRODUCT INFORMATION

- Alliance spring brakes are designed to provide years of safe, dependable service for parking or emergency braking applications. These spring brakes and service chambers feature rugged construction, using heavy gauge steel brake housings and steel components throughout.
- Alliance spring brakes are manufactured by an ISO9001: 2000 certified company that manufactures nearly all of the brake components in house. They stamp, form and assemble our housings and then perform extensive testing to ensure the brakes will perform as designed.
- The leading cause of premature spring brake failure is mis-alignment of the power spring or push rod. Alliance spring brakes are designed to solve these common problems, helping to ensure delivery of a long service life without maintenance problems.
- Alliance spring brakes will help reduce maintenance costs by providing greater corrosion resistance and eliminating component failure.

WARRANTY

Alliance Parts are backed by a one-year unlimited mile warranty, with coverage available throughout North America.

PRODUCT AVAILABILITY

To locate your nearest dealer, please visit www.daimler-trucksnorthamerica.com.

ADDITIONAL INFORMATION

To learn more about Alliance parts, please visit: www.alliancebrandparts.com.

FEATURES & BENEFITS

- **Chrome Silicon Steel Main Spring**—Epoxy coated for corrosion protection. A unique shot peening process is applied which dramatically extends the life of the spring.
- **Guided Spring Pressure Plate**—Keeps pressure plate centered preventing side forces which cause diaphragm sidewall and seal wear.
- **Mechanical Sure Crimp Seal**—A special crimping method ensures a no-guess diaphragm seal and allows a low profile without clamp interference.
- **Chrome Plated Internal Push Rod**—Chrome plated steel ground to just the right finish—Rough Machine Surface (32RMS)—to retain lubrication and prevent premature seal wear. Hard chrome for wear resistance and corrosion protection.
- **Heavy Duty Premium Diaphragms**—Synthetic blended rubber for superior resistance against abrasion and fatigue cracking. Tested to 1,000,000 cycles.
- **Music Wire Return Springs**—Made from pre-galvanized wire for maximum corrosion protection. Low stress barrel configuration.
- **Heavy 10-Gauge Non-pressure Housing**—Designed for bracket contact at the crucial outer edges. Mounting studs are reinforced to prevent pull out.
- **Friction Welded Push Rod**—Provides a total attachment to the plate preventing the rod from breaking loose.

| PART NUMBER REFERENCE CHART | | | |
|---|--|--------------------------------|------------------------------------|
| Part Number | Description | Part Number | Description |
| PIGGYBACK CHAMBERS: Priced per. Min order qty 2. | | SERVICE CHAMBERS (CONT) | |
| ABP/N42A-12024PD | 2024 | ABP/N42A-24SCD | 24" Boxed-With Clevis |
| ABP/N42A-12424PD | 2424 | ABP/N42A-24SCND | 24" Boxed-No Clevis |
| ABP/N42A-12430PD | 2430 | ABP/N42A-24SC3D | 24" 3" Stroke-Boxed-With Clevis |
| ABP/N42A-13030PD | 3030 | ABP/N42A-24SC3ND | 24" 3" Stroke-Boxed-No Clevis |
| ABP/N42A-13036PD | 3036 | ABP/N42A-30SCD | 30" Boxed-With Clevis |
| ABP/N42A-13636PD | 3636 | ABP/N42A-30SCND | 30" Boxed-No Clevis |
| PIGGYBACK KITS | | COMPONENT PARTS | |
| ABP/N42A-24PBKD | 2424 2.5" Stroke Kit* | ABP/N42A-10026AD | 1/2" Clevis Assembly |
| ABP/N42A-30PBKD | 3030 2.5" Stroke Kit* | ABP/N42A-10026BD | 5/8" Clevis Assembly |
| ABP N42A 30PBK3D | 3030 3" Stroke Kit* | ABP/N42A-24013AD | 24" Service Brake Push Rod |
| SPRING BRAKES | | DIAPHRAGMS | |
| ABP/N42A-12024CD | 2024 Combo-Boxed-With Clevis | ABP/N42A-D09000D | 9" Low-Temp Diaphragm |
| ABP/N42A-42024CD | 2024 Combo-Boxed-No Clevis | ABP/N42A-D12000D | 12" Low-Temp Diaphragm |
| ABP/N42A-12424CD | 2424 Combo-Boxed-With Clevis | ABP/N42A-D16000D | 16" Low-Temp Diaphragm |
| ABP/N42A-42424CD | 2424 Combo-Boxed-No Clevis | ABP/N42A-D20000D | 20" Low-Temp Diaphragm |
| ABP/N42A-12430CD | 2430 Combo-Boxed-With Clevis | ABP/N42A-D24000D | 24" Low-Temp Diaphragm |
| ABP/N42A-42430CD | 2430 Combo-Boxed-No Clevis | ABP/N42A-D24002D | 24" Long Stroke Low-Temp Diaphragm |
| ABP/N42A-12430C3D | 2430 Combo-3" Stroke-Boxed-With Clevis | ABP/N42A-D24003D | 24" Low-Temp Diaphragm |
| ABP/N42A-42430C3D | 2430 Combo-3" Stroke-Boxed-No Clevis | ABP/N42A-D30000D | 30" Low-Temp Diaphragm |
| ABP/N42A-13030CD | 3030 Combo-Boxed-With Clevis | ABP/N42A-D30003D | 30" 3" Stroke Low-Temp Diaphragm |
| ABP/N42A-43030CD | 3030 Combo-Boxed-No Clevis | ABP/N42A-D36000D | 36" 3" Stroke Low-Temp Diaphragm |
| ABP/N42A-13030C3D | 3030 Combo-3" Stroke-Boxed-With Clevis | | |
| ABP/N42A-43030C3D | 3030 Combo-3" Stroke-Boxed-No Clevis | | |
| ABP/N42A-13036CD | 3036 Combo-Boxed-With Clevis | | |
| ABP/N42A-43036CD | 3036 Combo-Boxed-No Clevis | | |
| ABP/N42A-13636CD | 3636 Combo-Boxed-With Clevis | | |
| ABP/N42A-43636CD | 3636 Combo-Boxed-No Clevis | | |
| SERVICE CHAMBERS | | | |
| ABP/N42A-12SCD | 12" Boxed-With Clevis | | |
| ABP/N42A-12SCND | 12" Boxed-No Clevis | | |
| ABP/N42A-16SCD | 16" Boxed-With Clevis | | |
| ABP/N42A-16SCND | 16" Boxed-No Clevis | | |
| ABP/N42A-20SCD | 20" Boxed-With Clevis | | |
| ABP/N42A-20SCND | 20" Boxed-No Clevis | | |

* Kit contains piggyback chamber, band clamp, and diaphragm.